



Label (Chemical Make-up)

Guaranteed Minimum Chemical Analysis (% Dry Weight Basis, Pre-Prilled)

FERTILIZER:	
Calcium (Ca)	24.0
Magnesium (Mg)	6.0
Boron (B)	0.02
Copper (Cu)	0.05
Iron (Fe)	1.8
Manganese (Mn)	0.7
Molybdenum (Mo)	0.004
Zinc (Zn)	0.05

SILICON SUPPLEMENT: 39.3% total	
CaMgSiO ₄	5.8
Ca ₃ Mg(SiO ₄) ₂	17.9
Ca ₂ MgSiO ₇	8.0
Ca ₂ SiO ₄	7.6

This material is derived from an industrial by product — The size is fine — The maximum Moisture Content is less than 1%

LIMING DATA:	
Total Calcium (Ca)	24.0%
Calcium Oxide (CaO)	38.0%
Calcium Carbonate (CaCO ₃)	65.0%
Total Magnesium	6.0%
Magnesium Oxide (MGO)	10.0%
Magnesium Carbonate (MgCO ₃)	27.0%

GUARANTEED MINIMUM PHYSICAL ANALYSIS	
U.S. Standard Mesh	% Passing
20	98
60	82
100	68
200	58

Calcium Carbonate Equivalent (by titration) — 95.0%

Derived from: Calcium and Magnesium Silicates, Boric Acid, Zinc Sulfate and Copper Sulfate